

RECEIVED

## LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

PTO FORM 1449



ATTY. DOCKET NO.

00801.0087.CNUS06

APPLICATION NO.

09/731, 222  
09/756, 836

APPLICANT

Turpen et al.

FILING DATE

April 18, 2001

GROUP

1636

MAY 08 2002

TECH CENTER 1600/2900

## U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
82	*	4,885,248	12/5/1989	Ahlquist	435	172.3	3/9/1987
81	*	5,173,410	12/22/1992	Ahlquist	435	091	10/3/1989
81	*	5,466,788	11/14/1995	Ahlquist	536	24.1	8/25/1994
81	*	5,500,360	3/19/1996	Ahlquist et al.	435	172.3	3/14/1994
81	*	5,602,242	2/11/1997	Ahlquist et al.	536	23.72	5/22/1995
81	*	5,627,060	5/6/1997	Ahlquist et al.	435	172.3	6/7/1995
81	*	5,633,447	5/27/1997	Ahlquist et al.	800	205	6/2/1995
81	*	5,670,353	9/23/1997	Ahlquist et al.	435	172.3	6/2/1995
81		6,232,099	5/15/01	Chapman, et al.	435	69.3	04/28/97

## FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
82		WO 96/12027	4/25/96	PCT			X	
82		63-14693	1/1988	Japan				
82	*	067,553	12/22/82	EPO				
81	*	194,809	9/1986	EPO				
81	*	278,667	8/17/88	EPO				
81	*	AU,B,7 195 191	3/1992	Australia				
81	*	EP,A,O 425 004	5/1991	EPO				
81	*	WO,A,91 13994	9/1991	PCT				
81	*	WO,A,90 12107	10/1990	PCT				
81	*	EP,A,O 479 180	4/1992	EPO				
81	*	EP,A,O 573 767	12/1993	EPO				

PER  
MS

<i>2</i>	*	WO,A,89 08145	9/1989	PCT				
	*	61/158443	1986 / 7	Japan (Okada and Han)				
	*	63/200789	1988 / 8	Japan (Okada and Takamatsu)				
	*	WO 92/18618	1992 / 10	PCT (Lomonossoff and Johnson)				
<i>2</i>	*	174,759	<del>1985</del> 3/86	EPO (James et al.)				
	*	WO 93/JP408	1993	PCT (Hamamoto et al.)				
<i>2</i>	*	WO 95/21248	2/1995	PCT				
	*	WO 93/03161	2/1993	PCT				
	*	0 672 754 A1	3/1993	EPO				
	*	WO 91/15587	4/1991	PCT				
<i>2</i>	*	WO 9602649A1	2/1996	PCT				

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

<i>2</i>	*	Ahlquist et al., "Viral Vectors," Cold Spring Harbor Laboratory, New York 183-189 (1988)
	*	Ahlquist and Pacha, <i>Physiol. Plant.</i> 79:163-167 (1990)
	*	Barton et al., <i>Plant Physiol.</i> 85:1103-1109 (1987)
	*	Bruening, G., "Comovirus group, C.M.I./A.A.B. Descriptions of plant viruses," No. 199. Wm. Culross and Son Ltd., Coupar Angus, Perthshire, Scotland. (1978)
	*	Butler and Mayo, "Molecular architecture and assembly of tobacco mosaic virus particles," <i>The molecular biology of the positive strand RNA Viruses</i> , Academic Press, London:237-257 (1987)
	*	Cassidy and Nelson, <i>Phytopathology</i> 80:1037 (1990)
	*	Chapman et al., <i>Plant Journal</i> 2:549 (1992)
	*	Charoenvit et al., "Inability of malaria vaccine to induce antibodies to a protective epitope within its sequence," <i>Science</i> 251:668-671 (1991)
	*	Charoenvit et al., "Monoclonal, but not polyclonal, antibodies protect against Plasmodium yoelii sporozoites," <i>J. Immunol.</i> 146:1020-1025 (1991)
	*	Citovsky and Zambryski, <i>BioEssays</i> 13:373-379 (1991)
	*	Culver et al., in press, <i>Virology</i>
	*	Dawson and Hilf, <i>Ann. Rev. Plant Physiol. Plant Mol. Biol.</i> 43:527-555 (1992)
<i>2</i>	*	Dawson et al., "cDNA cloning of the complete genome of tobacco mosaic virus and production of infectious transcripts," <i>Proc. Natl. Acad. Sci. USA</i> 83:1832-1836 (1986)

09/131, 242


92	*	Dawson <i>et al.</i> , "Modifications of the tobacco mosaic virus coat protein gene affecting replication, movement, and symptomatology," <i>Phytopathol.</i> <u>78</u> :783-789 (1988)
	*	Dawson <i>et al.</i> , "A tobacco mosaic virus-hybrid expresses and loses an added gene," <i>Virology</i> <u>172</u> :285-292 (1989)
	*	Dawson, <i>Adv. Virus Res.</i> <u>38</u> :307-342 (1990)
	*	Dawson, <i>Virology</i> <u>186</u> :359-367 (1992)
	*	Deom <i>et al.</i> , "Plant-Virus Movement Proteins," <i>Cell</i> <u>69</u> :221-224 (1992)
	*	Deom <i>et al.</i> , <i>Science</i> <u>237</u> :389-394 (1987)
	*	Dolja <i>et al.</i> , <i>Proc. Natl. Acad. Sci. USA</i> <u>89</u> :10208 (1992)
	*	Donson <i>et al.</i> , "Systemic expression of a bacterial gene by a tobacco mosaic virus-based vector," <i>Proc. Natl. Acad. Sci. USA</i> <u>88</u> :7204-7208 (1991)
	*	Dunsmuir <i>et al.</i> , "Stability of introduced genes and stability of expression," <i>Plant Molecular Biology Manual</i> , Kluwer Academic Publishers, Dordrecht, The Netherlands:C1:1-17 (1988)
	*	Fitchen <i>et al.</i> , "Plant virus expressing hybrid coat protein with added murine epitope elicits autoantibody response," <i>Vaccine</i> <u>13</u> :1051-1057 (1995)
	*	French <i>et al.</i> , "Bacterial gene inserted in an engineered RNA virus: Efficient expression in monocotyledonous plant cells," <i>Science</i> <u>231</u> :1294-1297 (1986)
	*	Gibbs, A.J., "Tobamovirus group, C.M.I./A.A.B. Descriptions of plant viruses," No. 184. Wm. Culross and Son Ltd., Coupar Angus, Perthshire, Scotland (1977)
	*	Goelet <i>et al.</i> , "Nucleotide sequence of tobacco mosaic virus RNA," <i>Proc. Natl. Acad. Sci. USA</i> <u>79</u> :5818-5822 (1982)
	*	Gooding, Jr., G.V., and Hebert, T.T., "A simple technique for purification of tobacco mosaic virus in large quantities," <i>Phytopathology</i> <u>57</u> :1285 (1967).
	*	Hamamoto <i>et al.</i> , "A new tobacco mosaic virus vector and its use for the systemic production of angiotensin-converting enzyme inhibitor in transgenic tobacco and tomato," <i>Bio/Technology</i> <u>11</u> :930-932 (1993)
	*	Haynes <i>et al.</i> , "Development of a genetically-engineered, candidate polio vaccine employing the self-assembling properties of the tobacco mosaic virus coat protein," <i>Bio/Technology</i> <u>4</u> :637-641 (1986)
	*	Horsch <i>et al.</i> , "Leaf disc transformation," <i>Plant Molecular Biology Manual</i> , Kluwer Academic Publishers, Dordrecht, The Netherlands:A5:1-9 (1988)
	*	Jagadish <i>et al.</i> , "High Level Production of Hybrid otybirus-like Particles Carrying Repetitive Copies of Foreign Antigens in Escherichia coli," <i>Bio/Technology</i> <u>11</u> :1166-1170 (1993)
	*	Joshi and Joshi, <i>FEBS Letters</i> <u>281</u> :1-8 (1991)
↓	*	Joshi <i>et al.</i> , "BSMV genome mediated expression of a foreign gene in dicot and monocot plant cells," <i>EMBO J.</i> <u>9</u> :2663-2669 (1990)
92	*	Jupin <i>et al.</i> , <i>Virology</i> <u>178</u> :273-280 (1990)

09/731, 242

82	*	Kearny <i>et al.</i> , <i>Virology</i> <u>192</u> :000-000 (in press) (1993)
	*	Krebbers <i>et al.</i> , "Prospects and progress in the production of foreign proteins and peptides in plants," <i>Plant Protein Engineering</i> . (P.R. Shewry and S. Gutteridge, eds.), Cambridge University Press, Cambridge, pp. 315-325 (1992)
	*	Kumagai <i>et al.</i> , "Rapid, high level expression of biologically active $\alpha$ -trichosanthin in transfected plants by a novel RNA viral vector," <i>Proc. Natl. Acad. Sci USA</i> <u>90</u> :427-430 (1993)
	*	Larkins <i>et al.</i> , <i>J. Cell. Biochem. Suppl.</i> <u>0(9 Part C)</u> :264 (1985)
	*	Martelli, <i>Plant Disease</i> <u>76</u> :436 (1992)
	*	Mason <i>et al.</i> , "Expression of hepatitis B surface antigen in transgenic plants," <i>Proc. Natl. Acad. Sci. USA</i> <u>89</u> :11745-11749 (1992)
	*	Ogawa <i>et al.</i> , <i>Virology</i> <u>185</u> :580-584 (1991)
	*	Ow <i>et al.</i> , <i>Science</i> <u>234</u> :856 (1986)
	*	Pelham, H.R.B., "Leaky UAG termination codon in tobacco mosaic virus RNA," <i>Nature</i> <u>272</u> :469-471 (1978)
	*	Porta <i>et al.</i> , "Development of Cowpea Mosaic Virus as a High-Yielding System for the Presentation of Foreign Peptides," <i>Virology</i> <u>202</u> :949-955 (1994)
	*	Potrykus, <i>Ann. Rev. Plant Physiol. Plant Mol. Biol.</i> <u>42</u> :205-225 (1991)
	*	Raffo and Dawson, "Construction of Tobacco Mosaic Virus Subgenomic Replicons that are Replicated and Spread Systemically in Tobacco Plants," <i>Virology</i> <u>184</u> :277-289 (1991)
	*	Rowlands <i>et al.</i> , eds., <i>Academic Press, London</i> , pp. 237-257 (1987)
	*	Saito <i>et al.</i> , <i>Virology</i> <u>176</u> :329-336 (1990)
	*	Shaw, "Chloramphenicol acetyltransferase from chloramphenicol-resistant bacteria," <i>Methods in Enzymology</i> <u>53</u> :737-755 (1975)
	*	Skuzeski <i>et al.</i> , "The signal for a leaky UAG stop codon in several plant viruses includes the two downstream codons," <i>J. Mol. Biol.</i> <u>218</u> :365-373 (1991)
	*	Takamatsu <i>et al.</i> , <i>J. Virol.</i> <u>65</u> :1619-1622 (1991)
	*	Takamatsu <i>et al.</i> , <i>J. Virol.</i> <u>64</u> :3686-3693 (1990)
	*	Takamatsu <i>et al.</i> , "Expression of bacterial chloramphenicol acetyltransferase gene in tobacco plants mediated by TMV-RNA," <i>EMBO J.</i> <u>6</u> :307-311 (1987)
	*	Takamatsu <i>et al.</i> , "Production of enkephalin in tobacco protoplasts using tobacco mosaic virus RNA vector," <i>FEBS Lett.</i> <u>269</u> :73-76 (1990)
	*	Turpen and Dawson, "Transgenic Plants, Fundamentals and Applications," <i>Marcel Dekkar, New York</i> , pp. 195-217 (1992)
✓	*	Turpen, "Ph.D. Dissertation," <i>University of California, Riverside</i> , pp. 72-87 (1992)
82	*	Turpen, "Ph.D. Dissertation," <i>University of California, Riverside</i> , pp. 85-105 (1992)

09/17/31, 242

or	*	Turpen, "Ph.D. Dissertation," <i>University of California, Riverside</i> , pp. 106-132 (1992)
	*	Turpen and Dawson, "Amplification, movement and expression of genes in plants by viral-based vectors," <i>Marcel Dekkar, New York</i> , pp. 195-217
	*	Turpen, T.H., "a Molecular Genetic Analysis of Host/Viral Interactions, Implications for the Use of Plant RNA Viruses as Gene Vectors," <i>Chem. Abstracts</i> <u>120(9)</u> :97427 (1992)
	*	Turpen <i>et al.</i> , "Malarial Epitopes Expressed on the Surface of Recombinant Tobacco Mosaic Virus," <i>Bio/Technology</i> <u>10</u> :53-57 (1995)
	*	Usha <i>et al.</i> , "Expression of an animal virus antigenic site on the surface of a plantvirus particle," <i>Virology</i> <u>197</u> :366-374 (1993)
	*	Van Haute <i>et al.</i> , <i>EMBO J.</i> <u>2</u> :411-417 (1983)
	*	Von Kammen <i>et al.</i> , "Cowpea mosaic virus, C.M.I./A.A.B. Descriptions of plant viruses," No. 197, <i>Wm. Culross and Son Ltd., Coupar Angus, Perthshire, Scotland</i> , pp. 1-5 (1978)
	*	Venton and Schell, <i>NAR</i> <u>13</u> :6981 (1985)
	*	Walden and Schell, <i>Eur. J. Biochem.</i> <u>192</u> :563-576 (1990)
	*	Weiss <i>et al.</i> , "A T cell clone directed at the circumsporozoite protein which protects mice against both <i>Plasmodium yoelii</i> and <i>Plasmodium berghei</i> ," <i>J. Immunol.</i> <u>149</u> :2103-2109 (1992)
	*	Yamaya <i>et al.</i> , <i>Mol. Gen. Genet.</i> <u>211</u> :520-525 (1988)
	*	Zaitlin <i>et al.</i> , "Tobacco mosaic virus (type strain), C.M.I./A.A.B. Descriptions of plant viruses," No. 151, <i>Wm. Culross and Son Ltd., Coupar Angus, Perthshire, Scotland</i> , pp. 1-6 (1975)
✓	*	Zaitlin and Hull, <i>Ann. Rev. Plant Physiol.</i> <u>38</u> :291-315 (1987)
or	*	Zambryski <i>et al.</i> , <i>EMBO J.</i> <u>2</u> :2143-2150 (1983)
EXAMINER		DATE CONSIDERED
David Szyg		9/1/02
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.		



RECEIVED

AUG 06 2001

File Copy  
Page 1 of 1

Form PTO 1449			TECH CENTER 1600/2900 09/731, 242
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000	
APPLICANT Kranz et al.		GROUP 1645	

## U.S. PATENT DOCUMENTS

Exmr Initial		Document Number	Date (dd-mm-yyyy)	Name	Class	Subclass	Filing Date if Appropriate
<i>g</i>	1	5,861,156	01/19/1999	George et al.	<del>424</del>	<del>135.1</del>	

## FOREIGN PATENT DOCUMENTS

		Document Number	Date	Country	Class	Subclass	Translation Yes/No

## OTHER PRIOR ART (including Author, Title, Date, Pertinent Pages, etc.)

<i>g</i>	2		Weidanz, Jon A. et al. (August 1998) "Display of functional $\alpha\beta$ single-chain T-cell receptor molecules on the surface of bacteriophage" <i>Journal of Immunological Methods</i> 221:59-76.
<i>g</i>	3		Shusta, E.V. et al. (1999) "Yeast Polypeptide Fusion Surface Display Levels Predict Thermal Stability and Soluble Secretion Efficiency" <i>Academic Press</i> 292:949-956.
<i>g</i>	4		Lake, D.F. et al. (January 1999) "Construction and binding analysis of recombinant single-chain TCR derived from tumor-infiltrating lymphocytes and a cytotoxic T lymphocyte clone directed against MAGE-1" <i>International Immunology</i> 11:745-751.
<i>g</i>	5		Kumar, V. et al. (1997) "Recombinant T Cell Receptor Molecules Can Prevent and Reverse Experimental Autoimmune Encephalomyelitis" <i>The Journal of Immunology</i> 159:5150-5156.

EXAMINER <i>David Szyo</i>	DATE CONSIDERED <i>9/1/02</i>
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

Form PTO-1449

ATTY DOCKET NO. 89-99

SERIAL NO. 09/731,242

FILING DATE December 6, 2000

APPLICANT Kranz et al.

GROUP 1645 / 636

00131 AM 2:30

RECEIVED  
TECH CENTER 1600/2900

U.S. PATENT DOCUMENTS

Exmr. Initial	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
<i>92</i>	RE 35,500	05/06/97	Rhodes	<del>424</del>	<del>1.49</del>	
	3,817,837	06/18/74	Rubenstein et al.	<del>195</del>	<del>103.5</del>	
	3,850,752	11/26/74	Schuurs et al.	<del>195</del>	<del>103.5</del>	
	3,927,193	12/16/75	Hansen et al.	<del>424</del>	<del>1</del>	
	3,939,350	02/17/76	Kronick et al.	<del>250</del>	<del>365</del>	
	3,996,345	12/07/76	Ullman et al.	<del>424</del>	<del>12</del>	
	4,275,149	06/23/81	Litman et al.	<del>435</del>	<del>7</del>	
	4,277,437	07/07/81	Maggio	<del>422</del>	<del>61</del>	
	4,331,647	05/25/82	Goldenberg	<del>424</del>	<del>1</del>	
	4,348,376	09/07/82	Goldenberg	<del>424</del>	<del>1</del>	
	4,361,544	11/30/82	Goldenberg	<del>424</del>	<del>1</del>	
	4,366,241	12/28/82	Tom et al.	<del>435</del>	<del>7</del>	
	4,444,744	04/24/84	Goldenberg	<del>424</del>	<del>1.1</del>	
	4,468,457	08/28/84	Goldenberg et al.	<del>435</del>	<del>69</del>	
	4,640,561	02/03/87	George	<del>339</del>	<del>17</del>	
	4,713,332	12/15/87	Mak	<del>435</del>	<del>70</del>	
	4,831,122	05/16/89	Buchsbaum et al.	<del>530</del>	<del>389</del>	
	4,873,190	10/10/89	Saito et al.	<del>435</del>	<del>172.3</del>	
	4,874,845	10/17/89	Saito et al.	<del>530</del>	<del>395</del>	
	4,923,799	05/08/90	Mak	<del>435</del>	<del>6</del>	
	4,970,296	11/13/90	Saito et al.	<del>530</del>	<del>323</del>	
	5,024,940	06/18/91	Brenner et al.	<del>435</del>	<del>69.1</del>	
	5,059,413	10/22/91	Reardan et al.	<del>424</del>	<del>4.1</del>	
<i>2</i>	5,101,827	04/07/92	Goldenberg	<del>128</del>	<del>653.4</del>	

Form PTO-1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP <del>1645/636</del>

<i>92</i>		5,185,250	02/09/93	Brenner et al.	<del>435</del>	<del>69.3</del>
		5,299,253	03/29/94	Wessels	<del>378</del>	<del>163</del>
		5,316,925	05/31/94	Davis et al.	<del>435</del>	<del>91.2</del>
		5,340,921	08/23/94	Brenner et al.	<del>530</del>	<del>350</del>
		5,348,867	09/20/94	Georgiou et al.	<del>435</del>	<del>69.7</del>
		5,498,530	03/12/96	Schatz	<del>435</del>	<del>69.1</del>
		5,580,961	12/03/96	Saito et al.	<del>530</del>	<del>395</del>
		5,601,822	02/11/97	Brenner et al.	<del>424</del>	<del>144.1</del>
		5,614,192	03/25/97	Vandenbark	<del>424</del>	<del>185.1</del>
		5,635,363	06/03/97	Altman et al.	<del>435</del>	<del>7.24</del>
		5,723,309	03/03/98	Bonneville	<del>435</del>	<del>69.1</del>
		5,738,996	04/14/98	Hodges	<del>435</del>	<del>7.1</del>
		5,763,733	06/09/98	Whitlow et al.	<del>530</del>	<del>387.3</del>
		5,767,260	06/16/98	Whitlow et al.	<del>536</del>	<del>23.4</del>
		5,789,208	08/04/98	Sharon	<del>435</del>	<del>91.41</del>
		5,824,483	10/20/98	Houston, Jr., et al.	<del>435</del>	<del>7.1</del>
		5,837,477	11/17/98	Germain et al.	<del>435</del>	<del>7.24</del>
		5,840,304	11/24/98	Davis et al.	<del>424</del>	<del>192.1</del>
		5,866,363	02/02/99	Pieczenik	<del>435</del>	<del>69.1</del>
		5,869,620	02/09/99	Whitlow et al.	<del>530</del>	<del>387.3</del>
		5,871,907	02/16/99	Winter et al.	<del>435</del>	<del>6</del>
		5,882,945	03/16/99	Saito et al.	<del>436</del>	<del>547</del>
		5,948,409	09/07/99	Germain et al.	<del>424</del>	<del>193.1</del>
		5,969,108	10/19/99	McCafferty et al.	<del>530</del>	<del>387.3</del>
<i>92</i>		5,977,321	11/02/99	Saito et al.	<del>530</del>	<del>388.75</del>
<i>92</i>		6,017,732	01/25/00	Jespers, et al.	<del>435</del>	<del>69.6</del>



Form PTO-1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP 1645 1636

## FOREIGN PATENT DOCUMENTS

		Document Number	Date	Country	Class	Subclass	Translation Yes/No

## OTHER PRIOR ART (including Author, Title, Date, Pertinent Pages, etc.)

<i>je</i>			Alam, S.M. et al., (Feb 1999), "Qualitative and Quantitative Differences in T Cell Receptor Binding of Agonist and Antagonist Ligands," <i>Immunity</i> 10:227-237
			Alberti, S., (1996), "A high affinity T cell receptor?," <i>Immunol. Cell Biol.</i> 74:292-297
			Altschul, S.F. et al., " Gapped BLAST and PSI-BLAST: a new generation of protein database search programs" (Sept. 1997) <i>Nucleic Acids Research</i> 25(17):2278-3402
			Baldwin, R.W. and Byers, V.S., (Editors) (1985), <u>Monoclonal Antibodies for Cancer Detection and Therapy</u> , London Academic Press pp. 159-179
			Beeson, C. et al., (Aug 1996), "Early Biochemical Signals Arise from Low Affinity TCR-Ligand Reactions at the Cell-Cell Interface," <i>J. Exp. Med.</i> 184:777-782
			Bevan, M.J., "In Thymic Selection, Peptide Diversity Gives and Takes Away" (Aug. 1997), <i>Immunity</i> 7:175-178
			Boder, E.T. et al., " Directed Evolution of Antibody Fragments with Monovalent Femtomolar Antigen-binding Affinity" (September 2000) <i>Proc. Nat'l. Acad. Sci. USA</i> 97(20):10701-10705
			Boder, E.T. and Wittrup, K.D., (Feb. 1998), "Optimal Screening of Surface-Displayed Polypeptide Libraries," <i>Biotech. Progress</i> 14(1):55-62
<i>je</i>			Boniface, J.J. et al., (Sept 1999), "Thermodynamics of T cell receptor binding to peptide-MHC: Evidence for a general mechanism of molecular scanning" <i>Proc. Natl. Acad. Sci. USA</i> 96:11446-11451

Form PTO-1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP <del>1645</del> 1636

<i>de</i>		Buchwalder, A. et al., (1994), "Immunochemical and Molecular Analysis of Antigen Binding to Lipid Anchored and Soluble Forms of an MHC Independent Human $\alpha/\beta$ T Cell Receptor," Mol. Immunol. <b>31</b> (11):857-872
		Callan, M.F. et al., (1995), "Selection of T cell receptor variable gene-encoded amino acids on the third binding site loop: a factor influencing variable chain selection in a T cell response," Eur. J. Immunol. <b>25</b> :1529-1534
		Cheng, Y.C., "Relationship Between The Inhibition Constant ( $K_i$ ) and the Concentration of Inhibitor Which Causes 50 Per Cent Inhibition ( $I_{50}$ ) of an Enzymatic Reaction" (1973), Biochem. Pharm. <b>22</b> :3099-3108
		Cho, B.K. et al., "A yeast surface display system for the discovery of ligands that trigger cell activation." (Nov 1988) J. Immunol Methods (Netherlands) <b>220</b> :179-88
		Chung, S. et al., (Dec 1994), "Functional three-domain single-chain T-cell receptors," Proc. Natl. Acad. Sci. USA <b>91</b> :12654-12658
		Clackson, T. et al., (August 1991) "Making antibody fragments using phage display libraries" Nature <b>352</b> :624-628
		Dal Porto, J. et al., (1993), "A soluble divalent class I major histocompatibility complex molecule inhibits alloreactive T cells at nanomolar concentrations" Proc. Natl. Acad. Sci. USA <b>90</b> :6671-6675
		Davis, M.M. and Bjorkman, D.J., (Aug 1988), "T-cell antigen receptor genes and T-cell recognition," Nature <b>334</b> :395-402
		Davis et al., (Annual -1998), "Ligand Recognition by $\alpha\beta$ T Cell Receptors," Annu. Rev. Immunol. <b>16</b> :523-544
		Davis, M.M. and Chien, Y., (1993), "Topology and affinity of T-cell receptor mediated recognition of peptide-MHC complexes," Curr. Opin. Immunol. <b>5</b> :45-49
		de Kruif, J. and Logtenberg, T., (Mar 1996), "Leucine Zipper Dimerized Bivalent and Bispecific scFv Antibodies from a Semi-synthetic Antibody Phage Display Library," Amer. Soc. Biochem. Mol. Biol. <b>271</b> (13):7630-7634
		Eisen, H. N. et al., (1996), "Antigen-Specific T-Cell Receptors And Their Reactions With Complexes Formed By Peptides With Major Histocompatibility Complex Proteins" Adv. Protein Chem. <b>49</b> :1-56
✓		Faber, K.N. et al., (1995), "Review: Methylophilic Yeasts as Factories for the Production of Foreign Proteins" Yeast <b>11</b> :1331-1344
<i>de</i>		Foote, J. and Eisen, H.N., (Sept. 2000) "Breaking the affinity ceiling for antibodies and T cell receptors" PNAS <b>97</b> (20):10679-10681

Form PTO-1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP <del>1645</del> 1636

gr			Furukawa, k. et al., "Junctional Amino Acids Determine the Maturation Pathway of an Antibody" (Sept.1999), Immunity 11:329-338
			Ganju, R.K. et al., (Dec 1992), "Similarity between fluorescein-specific T-cell receptor and antibody in chemical details of antigen recognition," Proc. Natl. Acad. Sci. USA 89:11552-11556
			Garcia, K.C. et al. "An $\alpha$ B T Cell Receptor Structure at 2.5 Å and Its Orientation in the TCR-MHC Complex" (Oct. 1996), Science 274:209-219
			Garcia, K.C. et al., "CD8 enhances formation of stable T-cell receptor/MHC class I molecule complexes" (December 1996), Nature 384:577-581
			Garcia, K.C. et al., (Dec 1997), " $\alpha\beta$ T cell receptor interactions with syngeneic and allogeneic ligands: Affinity measurements and crystallization," Proc. Natl. Acad. Sci. USA 94:13838-13843
			Garcia, K.C. et al., "Structural Basis of Plasticity in T Cell Receptor Recognition of a Self Peptide-MHC Antigen" (Feb. 1998) Science 279:1166-1172
			Gascoigne, N.R. et al., (May 1987), "Secretion of a chimeric T-cell receptor-immunoglobulin protein," Proc. Natl. Acad. Sci. USA 84:2936-2940
			Gellissen, G. et al., (1992) "Progress in developing methylotrophic yeasts as expression systems" Tibtech 10:413-417
			Geitz, R.D. et al., (1995), "Studies on the Transformation of Intact Yeast Cells by the LiAc/SS-DNA/PEG Procedure" Yeast 11:355-360
			Hare, B.J. et al., (June 1999), "Structure, specificity and CDR mobility of a class II restricted single-chain T-cell receptor" Nat. Struct. Biol. 6:574-581
			Hilyard, K.L. et al., (Sept 1994), "Binding of soluble natural ligands to a soluble human T-cell receptor fragment produced in Escherichia coli," Pro. Natl. Acad. Sci. USA 91:9057-9061
			Holler, P.D. et al., (May 2000), "In vitro evolution of a T cell receptor with high affinity for peptide/MHC," PNAS 97(10):5387-5392
			Huse, W. D. et al., (Dec 1989), "Generation of a Large Combinatorial Library of the Immunoglobulin Repertoire in Phage Lambda," Science 246:1275-1281
✓			Jorgensen, J.L. et al., (Jan 1992), "Mapping T-cell receptor-peptide contacts by variant peptide immunization of single-chain transgenics," Nature 355:224-230
gr			Kappler, J. et al., (Aug 1994), "Binding of a soluble $\alpha\beta$ T-cell receptor to superantigen/major histocompatibility complex ligands," Proc. Natl. Acad. Sci. USA 91:8462-8466

Form PTO-1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP 1645 / 636

92		Kieke, M.C. et al., (May 1999), "Selection of functional T cell receptor mutants from a yeast surface-display library," <i>Proc. Natl. Acad. Sci. USA</i> <b>96</b> (10):5651-5656
		Kipriyanov, S. M. et al., (Apr 1997), "Two amino acid mutations in an anti-human CD3 single chain Fv antibody fragment that affect the yield on bacterial secretion but not the affinity," <i>Protein Eng.</i> <b>10</b> (4):445-453
		Kowalski, J. M. et al., (Feb 1998), "Secretion efficiency in <i>Saccharomyces cerevisiae</i> of bovine pancreatic trypsin inhibitor mutants lacking disulfide bonds is correlated with thermodynamic stability," <i>Biochemistry</i> <b>37</b> (5):1264-1273
		Kowalski, J.M. et al., (July 1998), "Protein folding stability can determine the efficiency of escape from endoplasmic reticulum quality control," <i>J. Biol. Chem.</i> <b>273</b> (31):19453-19458
		Letourneur, F. and Malissen, B., (1989), "Derivation of a T cell hybridoma variant deprived of functional T cell receptor $\alpha$ and $\beta$ chain transcripts reveals a nonfunctional $\alpha$ -mRNA of BW5147 origin" <i>Eur. J. Immunol.</i> <b>19</b> (12):2269-2274
		Manning, T. C. et al., (Apr 1998), "Alanine Scanning Mutagenesis of an $\alpha\beta$ T cell Receptor: Mapping the Energy of Antigen Recognition," <i>Immunity</i> <b>8</b> :413-425
		Manning et al., (Feb. 1999), "Effects of complementarity determining region mutations on the affinity of alpha/beta T cell receptor: measuring the energy associated with CD4/CD8 repertoire skewing," <i>J. Exp. Med.</i> <b>189</b> (3):461-470
		Marks, J.D. et al., (Aug 1992), "Molecular Evolution of Proteins on Filamentous Phage," <i>J. Biol. Chem.</i> <b>267</b> (23):16007-16010
		Marks, J.D. et al., (1991), "By-passing Immunization. Human Antibodies from V-gene Libraries Displayed on Phage," <i>J. Mol. Biol.</i> <b>222</b> :581-597
		Martineau, P. et al., (July 1998), "Expression of an antibody fragment at high levels in the bacterial cytoplasm," <i>J. Mol. Biol.</i> <b>280</b> (1):117-127
		McCafferty, J. et al., (Dec 1990), "Phage antibodies: filamentous phage displaying antibody variable domains," <i>Nature</i> <b>348</b> :552-554
✓		Novotny, J. et al., (Oct 1991), "A soluble, single-chain T-cell receptor fragment endowed with antigen-combining properties," <i>Proc. Natl. Acad. Sci. USA</i> <b>88</b> :8646-8650
92		Nieba, L. et al., (April 1997), "Disrupting the hydrophobic patches at the antibody variable/constant domain interface: improved <i>in vivo</i> folding and physical characterization of an engineered scFv fragment," <i>Protein Eng.</i> <b>10</b> (4):435-444

Form PTO-1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP 1645/636

gr		O'Herrin, S.M. et al., (Oct 1997), "Analysis of the Expression of Peptide-Major Histocompatibility Complexes Using High Affinity Soluble Divalent T Cell Receptors," J. Exp. Med 186:1333-1345
		Olsnes, S. and Pihl, A., "Chimeric Toxins" (1982), Pharmac. Ther. 25:355-381
		Rabinowitz et al., (Feb. 1996), " Kinetic discrimination in T-cell activation" Proc. Natl. Acad. Sci. USA 93:1401-1405
		Sant'Angelo, D.B. et al., (April 1996), "The Specificity and Orientation of a TCR to its Peptide-MHC Class II Ligands," Immunity 4:367-376
		Schlueter, C.J. et al., (1996), "A Residue in the Center of Peptide QL9 Affects Binding to Both L <sup>d</sup> and the T Cell Receptor <sup>1</sup> ," J. Immunol. 157:4478-4485
		Schneck, J. et al., (Jan 1989), "Inhibition of an Allospecific T Cell Hybridoma by Soluble Class I Proteins and Peptides: Estimation of the Affinity of a T Cell Receptor for MHC," Cell 56:47-55
		Schodin, B.A. and Kranz, D.M., (Dec. 1993), "Binding Affinity and Inhibitory Properties of a Single-Chain Anti-T Cell Receptor Antibody," J. Biol. Chem. 268(34):25722-25727
		Schodin, B.A. et al., (1996) "Binding Properties and solubility of single-chain T cell receptors expressed in E. Coli" Mol. Immun.33(9):819-829
		Seibel, J.L. et al., (June 1997), "Influence of the NH <sub>2</sub> -terminal Amino Acid of the T Cell Receptor $\alpha$ Chain on Major Histocompatibility Complex (MHC) Class II + Peptide Recognition," J. Exp. Med. 185(11):1919-1927
		Seth, A. et al., (May 1994), "Binary and ternary complexes between T-cell receptor, class II MHC and superantigen in vitro," Nature 369:324-327
		Sheets, M.D. et al., (May 1998), "Efficient construction of a large nonimmune phage antibody library: The production of high-affinity human single-chain antibodies to protein antigens," Cell Biology 95(11):6157-6162
		Shusta, E.V. et al., (April 1999), "Biosynthetic polypeptide libraries," Curr. Opin. Biotechnol. 10:117-122
		Shusta, E.V. et al., (Oct. 1999), "Yeast Polypeptide Fusion Surface Display Levels Predict Thermal Stability and Soluble Secretion Efficiency," J. Mol. Biol. 292:949-956
gr		Slanetz, A.E. and Bothwell, A.L., (1991), "Heterodimeric, disulfide-linked $\alpha$ / $\beta$ T cell receptors in solution" Eur. J. Immunol. 21:179-183

Form PTO-1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP <del>1645</del> / 636

92		Soo Hoo, W.F. et al., (May 1992), "Characterization of a single-chain T-cell receptor expressed in <i>Escherichia coli</i> ," Proc. Natl. Acad. Sci. USA 89:4759-4763
		Speir, J.A. et al., (May 1998), "Structural Basis of 2C TCR Allorecognition of H-2L <sup>d</sup> Peptide Complexes," Immunity 8:553-562
		Sykuley, Y. et al., "Kinetics and Affinity of Reactions between an Antigen-Specific T Cell Receptor and Peptide-MHC Complexes" (1994), Immunity 1:15-22
		Sykulev, Y. et al., (Nov 1994), "High-affinity reactions between antigen-specific T-cell receptors and peptides associated with allogeneic and syngeneic major histocompatibility complex class I proteins," Proc. Natl. Acad. Sci. USA 91:11487-11491
		Sykulev, Y. et al., (Dec. 1995) "The Law of mass action governs antigen-stimulated cytolytic activity of CD8+ cytotoxic T lymphocytes" Proc. Natl. Acad. Sci. USA 92:11990-11992
		Tjoa, B. and Kranz, D.M., (July 1992) "Diversity of T cell receptor-alpha chain transcripts from hyperimmune alloreactive T cells." J Immunol (United States) 149(1) 253-259
		Udaka, K. et al., (1993), "A ubiquitous protein is the source of naturally occurring peptides that are recognized by a CD8+ T-cell clone" Proc. Natl. Acad. Sci. USA 90:11272-11276
		Valitutti, S. et al., "Serial triggering of many T-cell receptors by a few peptide-MHC complexes" (May 1995), Nature 375:148-151
		Ward, E.S., (1991), "Expression and Secretion of T-Cell Receptor V $\alpha$ and V $\beta$ Domains using <i>Escherichia coli</i> as a Host," Scand. J. Immunol. 34:215-220
		Ward, E.S., (1992), "Secretion of T Cell Receptor Fragments From Recombinant <i>Escherichia coli</i> Cells," J. Mol. Biol. 224:885-890
		Wedemayer, G.J. et al., "Structural Insights into the Evolution of an Antibody Combining Site" (June 1997), Science 276:1665-1669
		Weidanz, J.A. et al., (Dec. 1998), "Display of functional $\alpha\beta$ single-chain T-cell receptor molecules on the surface of bacteriophage," J. Immunol. Meth. 221:59-76
92		Willcox, B.E. et al., "TCR Binding to Peptide-MHC Stabilizes a Flexible Recognition Interface" (March 1999), Immunity 10:357-365

Form PTO-1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP <del>1645</del> 1636

92		Winter, G. et al., "Making Antibodies By Phage Display Technology" (1994) Annu. Rev. Immunol. 12:433-455
92		Wittrup, D.K., "Phage on Display" (Nov. 1999), Trends in Biotech. 17(11):423-424
92		Wolfe, M.S. et al., (Jan. 1998), A Substrate-Based Difluoro Ketone Selectively Inhibits Alzheimer's $\gamma$ -Secretase Activity," J. Med. Chem. 41:6-9
EXAMINER <i>David Hugo</i> DATE CONSIDERED 9/1/02		
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant:		

RECEIVED  
TECH CENTER 1600/2900  
010831 AM 2:29  
Sheet 1 of 5

Form PTO-1449		
ATTY DOCKET NO.: 89-99	SERIAL NO.: 09/731,242	FILING DATE: December 6, 2000
APPLICANT: Kranz et al.		GROUP: <del>1645</del> 1636

Originally cited in Serial No. 09/009,388

U.S. PATENT DOCUMENTS

Exmr. Initial	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
<i>gr</i>	4,946,778	08/07/90	Ladner et al.	<del>435</del>	<del>69.6</del>	
<i> </i>	5,013,650	05/07/91	Carty	<del>435</del>	<del>69.1</del>	
<i> </i>	5,223,409	06/29/93	Ladner et al.	<del>435</del>	<del>69.7</del>	
<i> </i>	5,225,539	07/06/93	Winter			
<i> </i>	5,258,289	11/02/93	Davis			
<i> </i>	5,258,498	11/02/93	Huston et al.	<del>530</del>	<del>350</del>	
<i> </i>	5,260,203	11/09/93	Ladner et al.	<del>435</del>	<del>172.3</del>	
<i> </i>	5,316,922	05/31/94	Brown			
<i> </i>	5,403,484	04/04/95	Ladner et al.	<del>435</del>	<del>235.1</del>	
<i> </i>	5,411,873	05/02/95	Adams			
<i> </i>	5,427,908	06/27/95	Dower			
<i> </i>	5,482,858	01/09/96	Huston et al.	<del>435</del>	<del>252.33</del>	
<i> </i>	5,510,240	04/23/96	Lam			
<i> </i>	5,571,698	11/05/96	Ladner			
<i> </i>	5,580,717	<del>01/20/96</del> <sup>12/03/96</sup>	Dower			
<i> </i>	5,624,817	04/29/97	Miller et al.	<del>435</del>	<del>69.1</del>	
<i> </i>	5,723,286	03/03/98	Dower et al.	<del>435</del>	<del>5</del>	
<i> </i>	5,723,323	03/03/98	Kauffman et al.	<del>435</del>	<del>172.3</del>	
<i> </i>	5,733,743	03/31/98	Johnson et al.	<del>435</del>	<del>69.1</del>	
<i> </i>	5,763,192	06/09/98	Kauffman et al.	<del>435</del>	<del>7.1</del>	
<i> </i>	5,780,225	07/14/98	Wigler et al.	<del>435</del>	<del>6</del>	
<i>or</i>	5,814,476	09/29/98	Kauffman et al.	<del>435</del>	<del>69.1</del>	

PER MS



Form PTO-1449			09/731, 242		
ATTY DOCKET NO.: 89-99		SERIAL NO.: 09/731,242		FILING DATE: December 6, 2000	
APPLICANT: Kranz et al.				GROUP: 1643 1676	

Originally cited in Serial No. 09/009,388

82		5,817,483	10/06/98	Kauffman et al.	435	69.1	
		5,824,514	10/20/98	Kauffman et al.	435	91.1	
		5,837,500	11/17/98	Ladner et al.	435	69.7	
		5,858,657	01/12/99	Winter et al.	435	6	
		5,866,344	02/02/99	Georgiou	435	7.21	
		5,871,974	02/16/99	Huse	435	69.7	
		5,900,476	05/04/99	Ruggeri et al.	530	380	
		6,027,910	02/22/00	Klis et al.	435	41	
82		6,114,147	09/05/00	Frenken et al.	435	69.7	

## FOREIGN PATENT DOCUMENTS

		Document Number	Date	Country	Class	Subclass	Translation Yes/No
82		WO94/18330	08/18/94	PCT			
81		WO94/01567	20.01.94	PCT			
81		WO98/49286	05.11.98	PCT			
82		0 436 597 B1	02.04.97	EP			

## OTHER PRIOR ART (including Author, Title, Date, Pertinent Pages, etc.)

82			Alam et al., (June 1996), "T-cell-receptor Affinity and Thymocyte Positive Selection," <i>Nature</i> 381:616-620
81			Anand, R. et al. (1992), "Progress in developing methylotrophic yeasts as expression systems." <i>TIBTECH</i> 10:413-417
81			Bentley, G.A. and Mariuzza, R.A., (1996), "The Structure of the T Cell Antigen Receptor," <i>Annu. Rev. Immunol.</i> 14:563-590
82			Boder, E.T. and Wittrup, K.D., (1997), "Yeast surface display for screening combinatorial plovpeptide libraries." <i>Nature Biotech.</i> 15(6):553-557

Form PTO-1449		
ATTY DOCKET NO.: 89-99	SERIAL NO.: 09/731,242	FILING DATE: December 6, 2000
APPLICANT: Kranz et al.		GROUP: <del>1645</del> / 636

Originally cited in Serial No. 09/009,388

92		Boder, E.T. and Wittrup, K.D. (1995), "A Yeast Surface Display System for <i>in vitro</i> Affinity Maturation of Antibodies," <i>Protein Interactions</i> , June 1-4, 1995, Beckman Institute, University of Illinois, Urbana. (Abstract Only)
		Buckholz, R.G. and Gleeson, M.A.G. (1991), "Yeast Systems for the Commercial Production of Heterologous Proteins," <i>Bio/Technol.</i> 9:1067-1072
		Bjorkman, P.J., (Apr 1997), "MHC Restriction in Three Dimensions: A View of T Cell Receptor/Ligand Interactions," <i>Cell</i> 89:167-170
		Clackson et al., (Aug 1991), "Making Antibody Fragments Using Phage Display Libraries," <i>Nature</i> 352:624-628
		Cregg, J.M. et al. (1993), "Recent Advances in the Expression of Foreign Genes in <i>Pichia pastoris</i> ," <i>Bio/Technol.</i> 11:905-910
		Faber, K.N. et al. (1995), "Review: Methylotrophic Yeasts as Factories for the Production of Foreign Proteins," <i>Yeast</i> 11:1331-1344
		Fremont et al., (1996), "Biophysical Studies of T-cell Receptors and Their Ligands," <i>Curr. Opin. Immunol.</i> 8:93-100
		Hawkins, R.E. et al. (1992), "Selection of Phage Antibodies by Binding Affinity Mimicking Affinity Maturation," <i>J. Mol. Biol.</i> 226:889-896
		Hawkins, R.E. et al. (1993), "The Contribution of Contact and Non-contact Residues of Antibody in the Affinity of Binding to Antigen," <i>J. Mol. Biol.</i> 234:958-964
		Jung, S. and Plückthun (1997), "Improving <i>in vivo</i> folding and stability of a single-chain Fv antibody fragment by loop grafting," <i>Protein Eng.</i> 10(8):959-966
		Kieck, M.C. et al. (1997), "Isolation of anti-T cell receptor scFv mutants by yeast surface display," <i>Protein Eng.</i> 10(11):1303-1310
		Klis, F.M. (1994), "Review: Cell Wall Assembly in Yeast," <i>Yeast</i> 10:851-869
		Knappik, A. and Plückthun, A. (1995), "Engineered turns of a recombinant antibody improve its <i>in vivo</i> folding," <i>Protein Eng.</i> 8(1):81-89
		Lipke, P.N. and Kurjan, J., (Mar 1992), "Sexual Agglutination in Budding Yeasts: Structure, Function, and Regulation of Adhesion Glycoproteins," <i>Microbiological Reviews</i> pp. 180-194
		Lyons et al., (July 1996), "A TCR Binds to Antagonist Ligands with Lower Affinities and Faster Dissociation Rates Than to Agonists," <i>Immunity</i> 5:53-61
92		Margulies, D.H., (June 1996), "An Affinity for Learning," <i>Nature</i> 381:558-559

Form PTO-1449		
ATTY DOCKET NO.: 89-99	SERIAL NO.: 09/731,242	FILING DATE: December 6, 2000
APPLICANT: Kranz et al.		GROUP: 1635 / 636

Originally cited in Serial No. 09/009,388

je		Marx, J. (Jan 1995), "The T Cell Receptor Begins to Reveal Its Many Facets," <i>Science</i> 267:459-460
		Matsui et al., (Dec 1991), "Low Affinity Interaction of Peptide-MHC Complexes with T Cell Receptors," <i>Science</i> 254:1788-1791
		Matsui et al., (Dec 1994), "Kinetics of T-cell Receptor Binding to Peptide/I-E* Complexes: Correlation of the Dissociation Rate with T-cell Responsiveness," <i>Proc. Natl. Acad. Sci. USA</i> 91:12862-12866
		Nieba, L. et al. (1997), "Disrupting the hydrophobic patches at the antibody variable/constant domain interface: improved in vivo folding and physical characterization of an engineered scFv fragment," <i>Protein Eng.</i> 10(4):435-444
		O'Herrin et al., (Oct 1997), "Analysis of the Expression of Peptide-Major Histocompatibility Complexes Using High Affinity Soluble Divalent T Cell Receptors," <i>J. Exp. Med</i> 186:1333-1345
		Reich et al., (June 1997), "Ligand-specific Oligomerization of T-cell Receptor Molecules," <i>Nature</i> 387:617-620
		Ridder, R. et al. (1995), "Generation of Rabbit Monoclonal Antibody Fragments from a Combinatorial Phage Display Library and Their Production in the Yeast <i>Pichia pastoris</i> ," <i>Bio/Technol.</i> 13:255-259
		Romanos, M. (1995), "Advances in the use of <i>Pichia pastoris</i> for high-level gene expression," <i>Curr. Opinion in Biotechnol.</i> 6:527-533
		Romanos et al., (1992), "Foreign Gene Expression in Yeast: a Review," <i>Yeast</i> 8:423-488
		Schlueter et al., (1996), "Specificity and Binding Properties of a Single-chain T Cell Receptor," <i>J. Mol. Biol.</i> 256:859-869
		Schreuder et al., (Apr 1996), "Immobilizing Proteins on the Surface of Yeast Cells," <i>TIBTECH</i> 14:115-120
		Schodin et al., (1996), "Binding Properties and Solubility of Single-Chain T Cell Receptors Expressed in <i>E. Coli</i> ," <i>Molec. Immunol.</i> 33(9):819-829
		Sudbery, P.E. (1994), "The Non-Saccharomyces Yeasts," <i>Yeast</i> 10:1707-1726
		Syrulev et al., (Dec 1995), "The Law of Mass Action Governs Antigen-stimulated Cytolytic Activity of CD8 <sup>+</sup> cytotoxic T Lymphocytes," <i>Proc. Natl. Acad. Sci. USA</i> 92:11990-11992
je		Ulrich et al. (Dec 1995), "Expression Studies of Catalytic Antibodies," <i>Proceed. Natl. Acad. Sci.</i> 92:11907-11911

Form PTO-1449		
ATTY DOCKET NO.: 89-99	SERIAL NO.: 09/731,242	FILING DATE: December 6, 2000
APPLICANT: Kranz et al.		GROUP: <del>1645</del> / 636

Originally cited in Serial No. 09/009,388

or		van der Vaart (Sept 1965), "Identification and Characterization of Cell Wall Proteins of <i>Saccharomyces cerevisiae</i> ," Thesis, ISBN 90-393-1498-5 pp. 1-138
or		Weber et al., (Apr 1992), "Specific Low-affinity Recognition of Major Histocompatibility Complex Plus Peptide by Soluble T-cell Receptor," Nature 356: 793-796
EXAMINER <i>David J. Gyo</i> DATE CONSIDERED <i>9/1/02</i>		
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.		

12/20/89